

IN THE CLAIMS:

1. (Original) Method for handling data records of a mobile communication device,
wherein at least one pre-stored voice tag is assigned to each of said data records, wherein said voice tags are employed for speech recognition to enable selection of said data records by speech input and recognition on the basis of said voice tags;
wherein said data records comprise a first set of data records and a second set of data records, wherein both sets of data records relate to different applications of said communication device;
said method comprising:
 - receiving an initial user input causing said mobile communication device to be prepared for receiving an acoustic input to perform said speech recognition thereon;
 - receiving a first manual user input by a multiple switching component, which is capable to exhibit a first input value and a second input value;
 - displaying a list of said first or said second set of data records in accordance with said first input signal and said second input signal of said first user input;
 - receiving a second manual user input identifying one data record of said displayed data records; and
 - transmitting an instruction comprised in said identified data record to at least one application of a plurality of applications executable on said mobile communication device.
2. (Original) Method according to claim 1, wherein data records of said first set each comprise at least one instruction dedicated to a dialing application for dialing a telephone number comprised in said instruction, wherein said first set of data records represents a selection of telephone directory entries, wherein data records of said second set each comprise at least one instruction dedicated to control functions of one or more further applications executed on said mobile communication device in accordance with said instruction, wherein said second set of data records represents a selection of device functions and device application functions.

3. (Currently Amended) Method according to claim 1 ~~or claim 2~~, characterized in that at least one designation is assigned to each of the data records, said designation being displayable.
4. (Currently Amended) Method according to ~~anyone of the preceding claims~~claim 1, comprising:
 - displaying an indication to said user that an alternative manual user input is operable when receiving said initial user input.
5. (Currently Amended) Method according to ~~anyone of the preceding claims~~claim 1, wherein said displaying of said list of said first set of data records being arranged in a pre-determined sequence comprises:
 - displaying at least one data record of said list of said first set of data records;
 - receiving a browsing input capable to exhibit a first browsing value and a second browsing value;
 - in case said browsing input corresponds to said first browsing value, displaying at least one data record subsequent to said at least one displayed data record; and
 - in case said browsing input corresponds to said second browsing value, displaying at least one data record preceding to said at least one displayed data record.
6. Method according to ~~anyone of the preceding claims~~claim 1, wherein said displaying of said list of said second set of data records being arranged in a pre-determined sequence comprises:
 - displaying at least one data record of said list of said second set of data records;
 - receiving a browsing input capable to exhibit a first browsing value and a second browsing value;
 - in case said browsing input corresponds to a first browsing value, displaying at least one data record subsequent to said at least one displayed data record; and
 - in case said browsing input corresponds to a second browsing value, displaying at least one data record preceding to said at least one displayed data record.

7. (Currently Amended) Software tool for handling data records of a mobile communication device selectable by speech recognition, comprising program code means for carrying out the steps of ~~anyone of claims 1 to 6~~claim 1, when said program is run on a processing device, a computer and/or a mobile communication device.
8. (Currently Amended) Computer program comprising program code means stored on a computer readable medium for carrying out the method for handling data records of a mobile communication device selectable by speech recognition of ~~anyone of claims 1 to 6~~claim 1 when said program product is run on a processing device, a computer and/or a mobile communication device.
9. (Currently Amended) Computer program product comprising program code means stored on a computer readable medium for carrying out the method for handling data records of a mobile communication device selectable by speech recognition of ~~anyone of claims 1 to 6~~claim 1, when said program product is run on a processing device, a computer and/or a mobile communication device.
10. (Original) Mobile communication device for handling data records of a mobile communication device which are selectable by speech input and recognition, comprising:
 - a plurality of applications executable on said mobile communication device;
 - at least one pre-stored voice tag for speech recognition is assigned to each of said data records having assigned, wherein said voice tags are employed for speech recognition to enable selection of said data records by speech input and recognition on the basis of said voice tags;
said data records comprising a first set of data records and a second set of data records, wherein both sets of data records relate to different applications of said communication device;
 - a speech recognition component for recognizing acoustic input via a microphone resulting in a selection of one of said data records in accordance with said acoustic input;
 - a first actuator for activating said speech recognition component;
 - a second actuator being a said multiple switching component capable to generate a first input signal and a second input signal, said second actuator being operable with said speech recognition mode component causing

displaying of a list of said first or said second set of said data records on said display in accordance with said first input signal and said second input signal; and

- a third actuator for selecting one data record of said displayed list and for transmitting an instruction comprised in said selected data record to at least one of the plurality of applications to be operated in accordance with said instruction.

11. (Original) Mobile communication device according to claim 10, wherein data records of said first set each comprise at least one instruction dedicated to a dialing application for dialing a telephone number comprised in said instruction, wherein said first set of data records represents a selection of telephone directory entries, wherein data records of said second set each comprise at least one instruction dedicated to control functions of one or more further applications executed on said mobile communication device in accordance with said instruction, wherein said second set of data records represents a selection of device functions and device application functions;

12. (Currently Amended) Mobile communication device according to claim 10 ~~or claim 11~~, comprising:

- said set of data records each comprising at least one designation, said designations being for display.

13. (Currently Amended) Mobile communication device according to claim 10 ~~or claim 12~~, wherein said first actuator for activating said speech recognition component causes a display to indicate to a user that an alternative manual user input is operable.

14. (Currently Amended) Mobile communication device according to ~~anyone of the claims 10 to 13~~claim 10, wherein said first input signal causes a display of at least one data record of said list of said first set of data records, said first set of data records being arranged in a pre-determined sequence, wherein:

- said second actuator operable with said speech recognition component generates a first browsing signal and a second browsing signal;

in case said displaying of said at least one data record of said first set of data records has been initiated:

- said first browsing signal causes a displaying of at least one subsequent data record of said first set on said display; and
- said second browsing signal causes a displaying of at least one preceding data record of said first set on said display.

15. (Currently Amended) Mobile communication device according to ~~anyone of the claims 9 to 14~~claim 10, wherein said second input signal causes a displaying of at least one data record of said list of said second set of data records, said second set of data records being arranged in a pre-determined sequence, further comprising:

- said second actuator being operable with said speech recognition component for generating a first browsing signal and a second browsing signal;

in case said displaying of said at least one data record of said second set of data records has been initiated:

- said first browsing signal causing a displaying of at least one subsequent data record of said second set on said display; and
- said second browsing signal causing a displaying of at least one preceding data record of said second set on said display.

16. (Currently Amended) Mobile communication device according to ~~anyone of the claims 9 to 15~~claim 10, wherein said second actuator is able to generate at least two different signals upon input of a user.